




ONYX[®]
TBR





HO101

SIZE

11R22.5 12R22.5



HO106

SIZE

295/80R22.5



HO102

SIZE

11R22.5 12R22.5 13R22.5
215/75R17.5 255/70R22.5
295/80R22.5 315/70R22.5
315/80R22.5



HO107

SIZE

235/75R17.5 385/65R22.5



HO104

SIZE

9.00R20 10.00R20
11.00R20 12.00R20
11R22.5 315/80R22.5



HO111

SIZE

11R22.5 11R24.5 215/75R17.5
225/70R19.5 235/75R17.5 245/70R19.5
255/70R22.5 285/70R24.5 295/75R22.5



HO105

SIZE

9.00R20 10.00R20
11.00R20 12.00R20



HO117

SIZE

12R22.5



HO118

SIZE

11R22.5 12R22.5
295/75R22.5



HO124

SIZE

315/80R22.5



HO121

SIZE

8.25R16 9.5R17.5
295/80R22.5 315/70R22.5
315/80R22.5



HO168

SIZE

7.00R16 7.50R16 8.25R16
8.25R20 9.00R20 10.00R20
12.00R20



HO122

SIZE

12.00R24 315/80R22.5



HO301

SIZE

7.00R16 7.50R16 8.25R16 8.25R20
9.00R20 10.00R20 11.00R20
12.00R20 12.00R24 11R22.5
12R22.5 13R22.5



HO123

SIZE

11.00R20



HO301+

SIZE

315/80R22.5



HO302

SIZE

10.00R20 11.00R20 12.00R20
12R22.5 13R22.5 315/80R22.5



HO308[Ⓐ]

SIZE

10.00R20 11R22.5 12R22.5
315/70R22.5 315/80R22.5



HO303

SIZE

7.00R16 7.50R16 8.25R16
8.25R20 9.00R20 10.00R20
11.00R20 12.00R20



HO309

SIZE

11R22.5 12R22.5 13R22.5
215/75R17.5 235/75R17.5 295/80R22.5
315/70R22.5 315/80R22.5



HO306

SIZE

7.00R16 7.50R16 8.25R16
8.25R20 9.00R20 10.00R20
11.00R20 12.00R20



HO310

SIZE

12.00R24



HO307

SIZE

10.00R20 11.00R20
12.00R20 12R22.5



HO311

SIZE

9.00R20 10.00R20
11.00R20 12.00R20
12R22.5



HO312

SIZE

11R22.5 11R24.5
285/75R24.5 295/75R22.5



HO320

SIZE

295/80R22.5



HO313

SIZE

7.50R16 8.25R16 8.25R20
9.00R20 10.00R20
11.00R20 12.00R20



HO322

SIZE

12.00R24 315/80R22.5



HO317

SIZE

10.00R20 11.00R20
12.00R20



HO323

SIZE

285/75R24.5 295/75R22.5



HO318

SIZE

8.25R20 9.00R20 10.00R20
11.00R20 12.00R20
295/80R22.5



HO329

SIZE

10.00R20 11.00R20
12.00R20 12.00R24



HO368

SIZE

10.00R20 295/80R22.5



HO929

SIZE

11.00R20



SIZE

9.00R20 10.00R20
11.00R20 12.00R20



NAL535

SIZE

215/75R17.5 225/70R19.5
245/70R19.5 255/70R22.5
275/70R22.5



HO599

SIZE

11.00R20



NAL536

SIZE

315/80R22.5



HO599+

SIZE

11.00R20



NAM517

SIZE

12.00R24 11R22.5 12R22.5
295/80R22.5 315/80R22.5



NAR515

SIZE

11R22.5 12R22.5 275/70R22.5
295/80R22.5 315/80R22.5



NDR255

SIZE

265/70R19.5



NAR518

SIZE

225/75R17.5 245/70R17.5
245/70R19.5 265/70R19.5
285/70R19.5



NSL129

SIZE

285/75R24.5 295/75R22.5



NAR532

SIZE

285/75R24.5 295/75R22.5



NTL311

SIZE

385/55R22.5 385/65R22.5
425/65R22.5 445/65R22.5



NDL230

SIZE

285/75R24.5 295/75R22.5



NTL331

SIZE

285/75R24.5 295/75R22.5

ONYX



NTM313

SIZE

385/65R22.5



	SIZE	PR	LOAD INDEX	SPEED SYMBOL	STANDARD RIM	MAXLOAD (kg)		PRESSURE (Kpa)		TUBE	TREAD DEPTH	DIMENSIONS	
						S	D	S	D			WIDTH	OVERALL DIA
HO101	11R22.5	16	148/145	M	8.25	3150	2900	850	850	TL	15	279	1054
	12R22.5	18	152/149	M	9.00	3550	3250	930	930	TL	16.5	300	1085
HO102	11R22.5	16	148/145	M	8.25	3150	2900	850	850	TL	15	279	1054
	12R22.5	18	152/149	M	9.00	3550	3250	930	930	TL	16.5	300	1085
	13R22.5	20	156/152	L	9.75	4000	3550	860	860	TL	17	320	1124
	215/75R17.5	16	135/133	J	6.00	2180	2060	850	850	TL	12	212	767
	255/70R22.5	16	140/137	L	7.50	2500	2300	830	830	TL	14	255	930
	295/80R22.5	18	152/149	M	9.00	3550	3250	900	900	TL	15	298	1044
	315/70R22.5	20	154/150	L	9.00	3750	3350	900	900	TL	15	312	1014
	315/80R22.5	20	156/152	L	9.00	4000	3550	860	860	TL	14.5	312	1076
HO104	9.00R20	16	144/142	K	7.00	2800	2650	900	900	TT	15	259	1019
	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	15	278	1054
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	17	293	1085
	12.00R20	18	154/149	K	8.50	3790	3270	840	770	TT	17.5	315	1125
	11R22.5	16	148/145	M	8.25	3150	2900	850	850	TL	15	279	1054
	315/80R22.5	20	156/152	L	9.00	4000	3550	860	860	TL	14.5	312	1076
HO105	9.00R20	16	144/142	K	7.00	2800	2650	900	900	TT	15	259	1019
	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	16.5	278	1054
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	17	293	1085
	12.00R20	18	154/140	K	8.50	3790	3270	840	770	TT	17.5	315	1125
HO106	295/80R22.5	18	152/149	M	9.00	3550	3250	900	900	TL	15	298	1044
HO107	235/75R17.5	16	143/141	J	6.75	2725	2575	875	875	TL	13	233	797
	385/65R22.5	20	160	K	11.75	4500		900		TL	17	389	1072
HO111	11R22.5	16	146/143	L	8.25	3000	2725	830	830	TL	15	279	1054
	11R24.5	14	146/143	M	8.25	3000	2725	720	720	TL	15	279	1104
	215/75R17.5	16	135/133	J	6.00	2180	2060	850	850	TL	12	212	767
	225/70R19.5	14	128/126	L	6.75	1800	1700	760	760	TL	13	226	811
	235/75R17.5	16	143/141	J	6.75	2725	2575	875	875	TL	15	233	797
	245/70R19.5	16	135/133	L	7.50	2180	2060	830	830	TL	13	248	1839
	255/70R22.5	16	140/137	L	7.50	2500	2300	830	830	TL	13	255	930
	285/75R24.5	14	144/141	M	8.25	2800	2575	760	760	TL	15.5	283	1050
	285/75R24.5	16	147/144	L	8.25	3075	2800	830	830	TL	15.5	283	1050
	295/75R22.5	14	144/141	M	9.00	2800	2575	760	760	TL	15.5	298	1014
HO117	295/75R22.5	16	146/143	L	9.00	3000	2725	830	830	TL	15.1	298	1014
HO118	12R22.5	18	152/149	M	9.00	3550	3250	930	930	TL	16	300	1085
HO121	11R22.5	16	148/145	L	8.25	3150	2900	850	850	TL	11.5	279	1054
	12R22.5	18	152/149	M	9.00	3550	3250	930	930	TL	12.5	300	1085
	295/75R22.5	14	144/141	M	9.00	2800	2575	760	760	TL	11	298	1014
	295/75R22.5	16	146/143	L	9.00	3000	2725	830	830	TL	11	298	1014
HO122	8.25R16	16	128/124	M	6.5H	1800	1600	770	770	TT	13.5	235	855
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	15	293	1085
	9.5R17.5	16	143/141	J		2725	2575			TL	13		842
	295/80R22.5	18	152/148	M	9.00	3550	3250	900	900	TL	16.5	298	1044
	315/70R22.5	20	154/150	L	9.00	3550	3150	850	850	TL	15.5	312	1014
HO123	315/80R22.5	20	156/152	L	9.00	4000	3500	860	860	TL	16.5	-	1076
	12.00R24	20	160/157	K	8.50	4500	4125	900	900	TT	15.5	315	1225
HO124	315/80R22.5	20	156/152	L	9.00	4000	3550	860	860	TL	16.5	312	1076

	SIZE	PR	LOAD INDEX	SPEED SYMBOL	STANDARD RIM	MAXLOAD (kg)		PRESSURE (Kpa)		TUBE	TREAD DEPTH	DIMENSIONS	
						S	D	S	D			WIDTH	OVERALL DIA
HO168	7.00R16	14	118/114	K	5.50F	1320	1180	770	770	TT	15.5	200	783
	7.50R16	14	122/118	K	6.00G	1500	1320	770	770	TT	18	215	805
	8.25R16	16	128/124	K	6.50	1800	1600	770	770	TT	18	235	855
	8.25R20	16	139/137	C	6.50	2430	2300	930	930	TT	21	236	974
	9.00R20	16	144/142	C	7.00	2800	2650	900	900	TT	21.5	259	1019
	10.00R20	18	149/146	C	7.50	3250	3000	930	930	TT	22	278	1055
	12.00R20	18	154/151	C	8.50	3750	3450	830	830	TT	24	315	1125
HO301	7.00R16	14	118/114	M	5.50F	1320	1180	770	770	TT	14	200	775
	7.50R16	14	122/118	M	6.00G	1495	1310	740	740	TT	13	215	805
	8.25R16	16	128/124	M	6.50H	1800	1600	770	770	TT	15	235	855
	8.25R20	16	139/137	L	6.50	2430	2300	930	930	TT	13.5	232	971
	9.00R20	16	144/142	K	7.00	2800	2650	900	900	TT	15.5	259	1019
	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	16.5	278	1054
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	17	293	1085
	12.00R20	18	154/149	K	8.50	3790	3270	840	770	TT	17.5	315	1125
	12.00R24	20	160/157	K	8.50	4500	4125	900	900	TT	16	315	1225
	11R22.5	16	148/145	M	8.25	3150	2900	850	850	TL	15	279	1054
	12R22.5	18	152/149	M	9.00	3550	3250	930	930	TL	16	300	1085
	13R22.5	20	156/152	L	9.75	4000	3550	860	860	TL	16.5	320	1124
HO301+	315/80R22.5	20	156/152	L	9.00	4000	3550	860	860	TL	16.5	312	1076
HO302	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	18	278	1054
	11.00R20	18	152/149	J	8.00	3550	3250	930	930	TT	18	293	1085
	12.00R20	18	154/149	J	8.50	3790	3270	840	770	TT	20	315	1125
	12R22.5	18	152/149	M	9.00	3550	3250	930	930	TL	20	300	1085
	13R22.5	20	156/152	G	9.75	4000	3550	930	930	TL	20	320	1124
	315/80R22.5	20	156/152	L	9.00	4000	3550	930	930	TL	20	312	1076
HO303	7.00R16	14	118/114	K	5.50F	1320	1180	770	770	TT	14	200	775
	7.50R16	14	122/118	J	6.00G	1495	1310	740	740	TT	15	215	805
	8.25R16	16	128/124	J	6.50H	1800	1600	770	770	TT	16	235	855
	8.25R20	16	139/137	K	6.50	2430	2300	930	930	TT	16	236	974
	9.00R20	16	144/142	J	7.00	2575	2430	790	790	TT	17	259	1019
	10.00R20	18	149/146	J	7.50	3250	3000	930	930	TT	18	278	1054
	11.00R20	18	152/149	J	8.00	3550	3250	930	930	TT	19	293	1085
	12.00R20	18	154/149	J	8.50	3790	3270	840	770	TT	20	315	1125
HO306	7.00R16	14	118/114	M	5.50F	1320	1180	770	770	TT	12	200	775
	7.50R16	14	122/118	M	6.00G	1495	1310	740	740	TT	14	215	805
	8.25R16	16	128/124	M	6.50H	1800	1600	740	740	TT	15	235	855
	8.25R20	16	139/137	L	6.50	2430	2300	930	930	TT	-	232	971
	9.00R20	16	144/142	K	7.00	2800	2650	900	900	TT	16	259	1019
	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	16.5	278	1054
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	17.5	293	1085
	12.00R20	18	154/149	K	8.50	3790	3270	840	770	TT	18.5	315	1125
HO307	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	17	278	1054
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	17.5	293	1085
	12.00R20	18	154/149	K	8.50	3790	3270	840	770	TT	18	315	1125
	12R22.5	18	152/149	M	9.00	3550	3250	930	930	TT	16	300	1085

	SIZE	PR	LOAD INDEX	SPEED SYMBOL	STANDARD RIM	MAXLOAD (kg)		PRESSURE (Kpa)		TUBE	TREAD DEPTH	DIMENSIONS	
						S	D	S	D			WIDTH	OVERALL DIA
HO308 [Ⓐ]	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	23	278	1055
	11R22.5	16	148/145	M	8.25	3150	2900	850	850	TL	20	279	1054
	12R22.5	18	152/149	M	9.00	3550	3250	930	930	TL	20	300	1085
	315/70R22.5	20	154/150	L	9.00	3750	3350	900	900	TL	20	312	1014
	315/80R22.5	20	156/152	L	9.00	4000	3550	860	860	TL	23	312	1076
HO309	11R22.5	16	148/145	M	8.25	3150	2900	850	850	TL	16.5	279	1054
	12R22.5	18	152/149	M	9.00	3550	3250	930	930	TL	17.5	300	1085
	13R22.5	20	156/152	L	9.75	4000	3550	860	860	TL	18	320	1124
	215/75R17.5	16	135/133	J	6.00	2180	2060	850	850	TL	14	212	767
	235/75R17.5	16	143/141	J	6.75	2725	2575	875	875	TL	15	233	797
	295/80R22.5	18	152/149	M	9.00	3550	3250	900	900	TL	20.5	298	1044
	315/70R22.5	20	154/150	L	9.00	3750	3350	900	900	TL	21	312	1014
	315/80R22.5	20	156/152	L	9.00	4000	3550	860	860	TL	20	312	1076
HO310	12.00R24	20	160/157	K	8.50	4500	4125	900	900	TT	20	315	1225
HO311	9.00R20	16	144/142	J	7.00	2800	2650	900	900	TT	16.5	259	1019
	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	17	278	1054
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	18	293	1085
	12.00R20	18	154/149	K	8.50	3790	3270	840	770	TT	19	315	1125
	12R22.5	18	152/149	L	9.00	3550	3250	930	930	TL	18.5	300	1085
HO312	11R22.5	16	146/143	L	8.25	3000	2725	830	830	TL	21.5	279	1054
	11R24.5	14	146/143	M	8.25	3000	2725	720	720	TL	21.5	279	1104
	285/75R24.5	14	144/141	M	8.25	2800	2575	760	760	TL	22	283	1056
	295/75R22.5	14	144/141	M	9.00	2800	2575	760	760	TL	22	298	1020
HO313	7.50R16	14	122/118	M	6.00G	1500	1320	770	770	TT	15	215	805
	8.25R16	16	128/124	L	6.5H	1800	1600	740	740	TT	16	235	855
	8.25R20	16	139/137	K	6.50	2430	2300	930	930	TT	15	236	974
	9.00R20	16	144/142	K	7.00	2575	2430	790	790	TT	17	259	1019
	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	18	278	1054
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	19	293	1085
	12.00R20	18	154/149	K	8.50	3790	3270	840	770	TT	20	315	1125
HO317	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	20.5	278	1065
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	21	293	1096
	12.00R20	18	154/149	K	8.50	3730	3270	840	770	TT	21.5	315	1136
HO318	8.25R20	16	139/137	C	6.50	2430	2300	930	930	TT	16	236	974
	9.00R20	16	144/142	C	7.00	2575	2430	790	790	TT	17	259	1019
	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	18	278	1054
	11.00R20	18	152/149	C	8.00	3550	3250	930	930	TT	24	293	1085
	12.00R20	18	154/149	C	8.50	3790	3270	840	770	TT	25	315	1125
	295/80R22.5	18	152/149	C	9.00	3550	3250	900	900	TL	21.5	298	1044
HO320	295/80R22.5	16	152/148	C	9.00	3550	3250	900	900	TL	21.5	298	1044
HO321	11.00R20	18	152/149	C	8.00	3550	3250	930	930	TT	24	293	1085
	12.00R20	18	154/149	C	8.50	3790	3270	840	770	TT	25	315	1125
HO322	12.00R24	20	160/157	K	8.50	4500	4125	900	900	TT	16	315	1226
	315/80R22.5	20	156/152	L	9.00	4000	3550	860	860	TL	20.5	312	1076
HO323	285/75R24.5	14	144/141	M	8.25	2800	2575	760	760	TL	22	283	1050
	285/75R24.5	16	147/144	L	8.25	3075	2800	830	830	TL	22	283	1062
	295/75R22.5	14	144/141	M	9.00	2800	2575	760	760	TL	22	298	1014
	295/75R22.5	16	146/143	L	9.00	3000	2725	830	830	TL	22	298	1014
HO329	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	21	278	1054
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	18	293	1085
	12.00R20	18	154/149	K	8.50	3790	3270	840	770	TT	18.5	315	1125
	12.00R24	20	160/157	K	8.50	4500	4125	900	900	TT	19	315	1225

	SIZE	PR	LOAD INDEX	SPEED SYMBOL	STANDARD RIM	MAXLOAD (kg)		PRESSURE (Kpa)		TUBE	TREAD DEPTH	DIMENSIONS	
						S	D	S	D			WIDTH	OVERALL DIA
HO368	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	21	278	1054
	295/80R22.5	18	152/149	M	9.00	3550	3250	900	900	TL	18	298	1044
HO399	9.00R20	16	144/142	K	7.00	2800	2650	900	900	TT	18	259	1030
	10.00R20	18	149/146	K	7.50	3250	3000	930	930	TT	19	278	1065
	11.00R20	18	152/149	K	8.00	3550	3250	930	930	TT	20	293	1096
HO599	12.00R20	18	154/151	K	8.50	3750	3450	830	830	TT	21	315	1136
HO599+	11.00R20	18	152/149	J	8.00	3550	3250	930	930	TT	16	293	1085
HO929	11.00R20	18	152/149	J	8.00	3550	3250	930	930	TT	17.5	293	1085
NAL535	11.00R20	18	152/149	J	8.00	3550	3250	930	930	TT	27.5	293	1096
	215/75R17.5	16	135/133	J	6.00	2180	2060	850	850	TL	11.5	212	767
	225/70R19.5	14	128/126	M	6.75	1800	1700	760	760	TL	11.5	226	811
	245/70R19.5	14	133/131	M	7.50	2060	1950	760	760	TL	11.5	248	839
	255/70R22.5	16	140/137	L	7.50	2500	2300	830	830	TL	13.5	255	930
NAL536	275/70R22.5	18	152/148	J	8.25	3550	3150	930	930	TL	13.5	276	958
NAM517	315/80R22.5	20	157/154	K	9.00	4125	3750	900	900	TL	16.5	312	1076
	12.00R24	20	160/157	K	8.50	4500	4125	900	900	TT	17	315	1226
	11R22.5	16	146/143	K	8.25	3150	2900	850	850	TL	15.5	279	1054
	12R22.5	18	152/149	K	9.00	3550	3250	930	930	TL	16	300	1085
	295/80R22.5	18	152/149	K	9.00	3550	3250	900	900	TL	16	298	1044
NAR515	315/80R22.5	20	156/152	K	9.00	4000	3550	860	860	TL	17	312	1076
NAR518	11R22.5	16	148/145	L	8.25	3150	2900	850	850	TL	15.5	279	1054
	12R22.5	18	152/149	L	9.00	3550	3250	930	930	TL	16.5	300	1085
	275/70R22.5	16	148/145	M	8.25	3150	2900	900	900	TL	15.5	276	958
	295/80R22.5	18	152/149	M	9.00	3550	3250	900	900	TL	16	298	1044
	315/80R22.5	20	156/152	K	9.00	4000	3550	860	860	TL	16.5	312	1076
NAR518	225/75R17.5	14	129/127	M	6.75	1850	1750	725	725	TL	13	226	783
	245/70R17.5	16	136/134	M	7.50	2240	2120	850	850	TL	13	248	789
	245/70R17.5	16	136/134	M	7.50	2240	2120	825	825	TL	14	248	789
	245/70R17.5	18	143/141 146/146	J(F)	7.50	2575	2500	850	850	TL	14	248	789
	245/70R19.5	16	136/134	M	7.50	2240	2120	825	825	TL	14	248	839
	245/70R19.5	18	141/140	J	7.50	2575	2500	850	850	TL	14	248	839
	265/70R19.5	16	140/138	M	7.50	2500	2360	775	775	TL	14	262	867
	265/70R19.5	18	143/141	J	7.50	2725	2575	850	850	TL	14	262	867
	285/70R19.5	16	146/144 144/142	L(M)	8.25	3000	2800	850	850	TL	14	283	895
	285/70R19.5	18	150/148	J	8.25	3350	3150	900	900	TL	14	283	895
NAR532	285/75R24.5	14	144/142	M	8.25	2800	2575	760	760	TL	15	283	1050
	285/75R24.5	16	147/144	L	8.25	3075	2800	830	830	TL	15	283	1050
	295/75R22.5	14	144/141	M	9.00	2800	2575	760	760	TL	15	298	1014
	295/75R22.5	16	146/143	L	9.00	3000	2725	830	830	TL	15	298	1014
NDL230	285/75R24.5	14	144/142	L	8.25	2800	2575	760	760	TL	21.5	283	1062
	285/75R24.5	16	147/144	L	8.25	3075	2800	830	830	TL	21.5	283	1062
	295/75R22.5	14	144/141	M	9.00	2800	2575	760	760	TL	21.5	298	1026
NDR255	295/75R22.5	16	146/143	L	9.00	3000	2725	830	830	TL	21.5	298	1026
NSL129	265/70R19.5	18	143/141	J	7.50	2725	2575	850	850	TL	16	262	867
	285/75R24.5	14	144/141	M	8.25	2800	2575	760	760	TL	15	283	1050
NTL311	295/75R22.5	14	144/141	M	9.00	2800	2575	760	760	TL	15	298	1014
	385/55R22.5	20	160(158)	K(L)	12.25	4500	4500	900	900	TL	15.5	386	996
	385/65R22.5	20	160(158)	K(L)	11.75	4500	4500	900	900	TL	16	389	1072
NTL331	425/65R22.5	20	165	K	12.25	5150	5150	825	825	TL	16	422	1124
	445/65R22.5	20	169	K	13.00	5800	5800	900	900	TL	16	444	1150
	285/75R24.5	14	144/142	M	8.25	2800	2575	760	760	TL	11	283	1050
NTM313	295/75R22.5	14	144/141	M	9.00	2800	2575	760	760	TL	11	298	1014
NTM313	385/65R22.5	20	160(158)	K(L)	11.75	4500	4500	900	900	TL	18.5	389	1072